

-

CORN

00





COMPLETE YOUR DREAM.

FL15023D

Imagine your boat being displayed on a pedestal. Imagine boating on a whim. Imagine your peace of mind knowing your boat is safe.

Since inventing the first hydraulic boat lift in 1996, Sunstream has grown to become the global industry leader.


COMB

For over 20 years we have proven innovative breakthroughs in boat lifts and cover systems that have transformed the boating experience worldwide.



FLOATLIFTTH OPTIONS & DESIGN INNOVATIONS

FEATURES & BENEFITS



VISIT OUR WEBSITE FOR A COMPLETE LIST OF OPTIONS

POPULAR OPTIONS

Motor Stop

-

100

Double Guide-Ons

FLOATLIFTTM DELIVERS UNMATCHED SPEED, RELIABILITY & PERFORMANCE






www.sunstreamcorp.com

Advanced RC Control System

Ties Up Like a Boat with Dock Lines- slips, side-tie & mooring buoys.

FLOATLIFT[™]SPECIFICATIONS


FLOATLIFT[™] HOVER COVER OPTIONS



Al



NEW



Model	FL6012	FL7012	FL10014	FL13018	FL13018W	FL15023	FL15023W	FL24020	FL36026 FL40026
Capacity (lbs)	5,500	7,000	10,500	13,000	13,000	15,000	15,000	24,000	36,000 40,000
Lift Length	20′	20′	24'	29′	29'	34′	34′	38′	44'
Lift Up Postion	10′6″	10'6″	11'11″	11'11″	13'4"	11'11″	13'4"	16′	16′
Weight (lbs)	1,300	1,450	2,500	2,900	3,100	3,825	3,900	8,000	9,000
Launching Speed (typ)	18 sec	18 sec	20 sec	40 sec	40 sec	35 sec	35 sec	60 sec	90 sec
Water Depth Required	draft + 12"	draft + 16"	draft + 20"	draft + 20"					
Minimum Slip Width	12′	13′	14'*	14'*	15′6″**	14'*	15′6″**	22′	22′
Maximum Boat Beam	8′6″	8'6″	10'6″	10′6″	12′	10′6″	12′	14′	14′
Allowable Draft for Typical V Hull***	20"-22"	20"-22"	34″	34″	34"	34"	34"	48"	48"

* Wider slip required for beams over 9'6" ** Wider slip required for beams over 11'6" **** For Cat Hull allowable draft subtract 12" for many boats

FLOATLIFT[™] GOVERNMENT & COMMERCIAL

Sunstream has applied aerospace technology to create the fastest, most reliable boat lift for commercial use on the market today. Sunstream's high speed boat lifts meet the demand for small craft support in multiagency, enforcement, search & rescue, fire, and commercial applications. Combining technology with high customer service has made Sunstream the preferred brand for the most demanding market.

Model FA-H24108

Length	24'
Width Between Uprights	108"
Std. Cover Material***	Sunbrella
For FloatLift Models	FL6012, FL7012
Max Boat Height w/o HC Extensions**	86″

*FA-H30144 not for use with mooring buoy application. **Boat height = hull draft + bridge clearance. ***Std. cover color is Captain Navy. Custom colors available.

SWIFTSHIELD[™] AUTOMATIC BOAT COVER

Protect what matters to you the most - your boat, your money, your time, your view and your family. (not necessarily in that order)

Use Your Boat More

- Your boat stays clean and is ready to go;
- Remote control covers/uncovers your boat in about 30 seconds*;
- Boating is more fun without the hassle of snaps, straps, poles or ropes;
- Free up valuable compartment space by removing your bulky cover from your boat;
- No more wrestling with dirty covers or figuring out which way is front;
- Minimalist design preserves views.

* SwiftShieldTM increases min slip width. Some boat details and/or environmental conditions may require some assistance.

FA-H30144*

30' Min 114" / Max 126" Sunbrella FL10014, FL13018 103″



Keep Your Boat Looking New

- SwiftShield^m is the ultimate protection from sun, weather, bugs, dust, birds, and leaves;
- Maximize your boat's protection including sides and stern;
- Boat is better protected than with cockpit cover, covered moorage or canopy;
- SwiftShield^m maximizes the resale value of your boat by keeping it looking new, longer;
- Great looking custom-fit digitally designed cover;
- Adds security to your boat with remote controlled hydraulic operation.



FROM THE MAKERS OF:

SUNSTREAM SVVIFTSHIELD





www.sunstreamcorp.com